

Measurement in Chemistry

Chapter 1

Measurement in Chemistry

- **Qualitative measurements** – Observations that describe a substance, mixture, reaction, or other process in **WORDS**.
- **Quantitative measurements** – Observations that describe a property with **NUMBERS** and **UNITS**.

Slide C-2

UNITS and Quantitative measurements

- Numbers often make no sense if we do not have some sort of reference or standard to compare them to.
- **Nearly all numbers MUST be followed by a unit label.**
- The unit indicates the standard against which the number is measured.

Slide C-3

UNITS and Quantitative measurements

- The **metric system** is a system of measurement based on multiples of ten.
- In the metric system, a **prefix** may be added to the **base unit** to change the value of the unit by a factor of ten. The base unit is a reference to the standard.
- The **English system** of measurement is not based on powers of ten, and is therefore more difficult to use in calculations.
- Scientists almost exclusively work in the metric or **SI** system.

Slide C-4

Base units: The *Système Internationale* (SI) base units are defined from some physically observable and reproducible quantity. The base units are:

Quantity	Unit	Symbol
Length	meter	m
Mass	kilogram (gram)	kg (g)
Time	second	S
Temperature	kelvin	K
Amount of a substance	mole	mol
Electric Current	ampere	A
Luminous Intensity	candela	cd

Slide C-5

Metric Prefixes: The prefixes below change any of the base or derived metric units into a power of 10.

Prefix	Symbol	Multiple	Multiple
Tera-	T	10^{12}	1,000,000,000,000
Giga-	G	10^9	1,000,000,000
Mega-	M	10^6	1,000,000
kilo-	k	10^3	1,000
hecto-	h	10^2	100
deka-	dk	10^1	10
base unit		10^0	1
deci-	d	10^{-1}	0.1
centi-	c	10^{-2}	0.01
milli-	m	10^{-3}	0.001
micro-	μ	10^{-6}	0.000 001
nano-	n	10^{-9}	0.000 000 001
pico-	p	10^{-12}	0.000 000 000 001

Slide C-6

Simple Metric Conversions

→ Converting from a larger prefix to a smaller one:

- Move the decimal to the right:

$$0.896 \text{ m} \rightarrow \text{cm}$$

$$0.896 \text{ m} \rightarrow 89.6 \text{ cm}$$

→ Converting from a smaller prefix to a larger one:

- Move the decimal to the left:

$$750 \text{ mL} \rightarrow \text{cL}$$

$$750 \text{ mL} \rightarrow 75.0 \text{ cL}$$

Slide C-8

EXAMPLES:

- 1 kilometer (km) = 1000 meters (m)
- 1.0 mg = 0.0010 g
- 7.5 Ms = 7,500,000 s
- 55 cm = 5.5 dm = 0.55 m
- 450 nm = 0.000 000 450 m
- 0.0233 ps = _____ μs
- 9.65 x 10⁸ cg = _____ kg
- 7.87 x 10⁻⁷ dm = _____ nm

Slide C-9

SI derived units

→ Derived units are mathematical combinations of the SI base units.

→ **Volume** (space occupied by matter) is the most common derived unit that we will discuss in this course. The simplest formula for volume is for the volume of a box:

$$\mathbf{V = length \times width \times height}$$

- Consider a box with:


$$l = 5.0 \text{ cm}, w = 3.0 \text{ cm}, h = 7.0 \text{ cm}$$

- $\mathbf{V = 5.0 \text{ cm} \times 3.0 \text{ cm} \times 7.0 \text{ cm} = 105 \text{ cm}^3}$

- Just as the numbers are multiplied, so are the units.

Slide C-10

Volume Conversion Factors



Cubic decimeters →
cubic centimeters
1 dm = 10 cm
(1 dm)³ = (10 cm)³
1 dm³ = 1000 cm³

Some volume equivalents:
1 cm³ = 1000 mm³
1 dm³ = 1000 cm³
1 cm³ = 1 mL = 1000 μL
1 mL = 1000 μL
1 mm³ = 1 μL

Slide C-11

Volume units

The units that we commonly use to discuss volume is the Liter (L) and the milliliter (mL):

MEMORIZE these conversions:

$$1 \text{ Liter (L)} = 1 \text{ cubic decimeter (dm}^3\text{)}$$

$$1 \text{ milliliter (mL)} = 1 \text{ cubic centimeter (cm}^3\text{)} \\ = 0.001 \text{ L} \\ = 1 \text{ cc}$$

Slide C-12

Relationships of selected U.S. and Metric Units

- In the U.S., many of the everyday measurements we use are based on the older English system.
- We primarily use the metric system for measurements in labs in the U.S. However it is still often necessary to make some conversions to the metric system.

Length	Mass	Volume
1 in = 2.54 cm	1 lb = 0.4536 kg	1 qt = 0.9464 L
1 yd = 0.9144 m	1 lb = 16 oz	4 qt = 1 gal
1 mi = 1.609 km	1 oz = 28.35 g	
1 mi = 5280 ft		

Slide C-14


Dimensional Analysis & Simple Unit conversions:

- 1) 4.5 L \rightarrow cL
- 2) 758 nm \rightarrow μ m
- 3) 153. oz. \rightarrow kg

Slide C-15

Bond Length Conversion

Practice Problem 1.78 Water consists of molecules (groups of atoms). A water molecule has two hydrogen atoms, each connected to an oxygen atom. The distance between any one hydrogen atom and the oxygen atom is 0.96 Å. What is this distance in millimeters?



Conversion factor:
 $1 \text{ Å} = 1 \times 10^{-10} \text{ m}$

Slide C-16

Compound Unit Conversion

- ↪ Convert: 65 mi/hr \rightarrow m/s

Volume Conversion

- ↪ Convert: $1.2 \times 10^5 \text{ cm}^3 \rightarrow \text{m}^3$

Slide C-17

Mass and Weight

- ↪ **Mass** is a measurement of how much matter is present.
- ↪ **Weight** is brought about by the force of gravity pulling one object toward another.
- ↪ Mass and weight are not the same things.
- ↪ Mass is independent of gravity.
- ↪ A classic **balance** functions by comparing the weight of some unknown mass to the weight of another object of known mass.
- ↪ With the same pull of gravity, two objects of the same mass will have the same weight.
- ↪ Mass is an **extensive** property of matter – it depends on the amount of matter present.

Slide C-18

Density

- ↪ Density is a physical property of matter that describes the relationship between mass and volume of a substance.

$$\text{Density} = \frac{\text{mass}}{\text{volume}}$$

$$D = \frac{m}{V}$$

- ↪ Density is an **intensive** property of matter - A substance will have a characteristic density that is independent of the amount of the substance present.
- ↪ In lay terms, we might say it describes how "heavy" a substance is (a misuse of the word).

Slide C-20

5-step Method for Problem-solving

1. Identify the **UNKNOWN** in the problem.
2. Identify the **GIVEN** quantities and useful information.
3. Choose the appropriate **formulas & conversion factors**.
4. **Plan the solution.**
 - Identify how you will use formulas & conversion factors.
 - Set up **dimensional analysis** tables.
 - Isolate unknown variables in formulas.
5. Substitute the givens (in formulas) and **SOLVE**.
(*Plug & Chug!*)

Slide C-22

Problem Solving Examples

1. Ethanol has a density of 0.789 g/cm^3 .
What is the volume of ethanol that must be measured to equal 30.3 g ?
2. Convert the density of aluminum, 2.70 g/cm^3 to **oz. / in³**
3. Aluminum has a density of 2.70 g/cm^3 .
What is the mass of aluminum in a sheet that is $2.00 \text{ m} \times 2.00 \text{ m} \times 1.50 \text{ mm}$?

Slide C-23

Temperature

- Temperature is the measure of the kinetic energy of particles.
- Temperature Scales:
 - **Fahrenheit** – system in common use in the US.
 - **Celsius** – system most commonly used in the laboratory and throughout the rest of the world. Has convenient reference points.
 - **Kelvin** – absolute temperature scale. Zero Kelvin is the theoretical temperature at which all molecular motion stops (or reaches its lowest possible quantum level). No negative temperatures.

Slide C-24

Temperature Conversions

- $^{\circ}\text{C} = \frac{5}{9} (^{\circ}\text{F} - 32)$
- $^{\circ}\text{F} = \frac{9}{5} ^{\circ}\text{C} + 32$
- **K = $^{\circ}\text{C} + 273.15$ MEMORIZE**

EXAMPLES:

- Convert $10.0 \text{ }^{\circ}\text{F}$ to $^{\circ}\text{C}$ and to K.
- Convert 353 K to $^{\circ}\text{C}$.

Slide C-26